

43 % to about 46 % by weight of (c).

10. (previously presented) The emulsion of claim 1, wherein the emulsion comprises at least about 43 % by weight of (c).

11. (previously presented) The emulsion of claim 10, wherein the emulsion comprises not more than about 45.5 % by weight of (c).

12. (previously presented) The emulsion of claim 9, wherein the emulsion comprises from about 30 % to about 45 % by weight of (c)(i).

13. (previously presented) The emulsion of claim 9, wherein the emulsion comprises from about 5 % to about 20 % by weight of (c)(ii).

14. (previously presented) The emulsion of claim 1, wherein the emulsion comprises at least about 1 % by weight of (c)(ii).

15. (previously presented) The emulsion of claim 13, wherein (c)(ii) has a polarity of from about 10 to about 45 mN/m.

16. (previously presented) The emulsion of claim 1, wherein (c)(ii) comprises at least one fatty acid triglyceride.

17. (previously presented) The emulsion of claim 16, wherein the fatty acid triglyceride comprises at least one of soybean oil and almond oil.

18. (previously presented) The emulsion of claim 12, wherein (c)(ii) comprises at least one of a hydrocarbon, a fatty acid triglyceride, a silicone oil and a carboxylic acid ester.

19. (previously presented) The emulsion of claim 1, wherein the weight ratio (b) : (c)(i) is from about 1:125 to about 1:68.

20. (previously presented) The emulsion of claim 12, wherein the weight ratio (b) : (c)(i) is from about 1:100 to about 1:57.

21. (previously presented) The emulsion of claim 1, wherein the emulsion has a viscosity of

from about 700 to about 3,000 mPa s at 100 s⁻¹.

22. (previously presented) The emulsion of claim 1, wherein the emulsion further comprises at least one surfactant.

23. (previously presented) The emulsion of claim 22, wherein the at least one surfactant comprises a surfactant having an HLB value of higher than about 25.

24. (previously presented) The emulsion of claim 22, wherein the at least one surfactant comprises a surfactant having an HLB value of higher than about 35.

25. (previously presented) The emulsion of claim 22, wherein the emulsion comprises from about 1 % to about 30 % by weight of the at least one surfactant.

26. (previously presented) The emulsion of claim 1, wherein the emulsion further comprises at least one active ingredient.

27. (previously presented) The emulsion of claim 26, wherein the at least one active ingredient

is present in a concentration of from about 0.001 % to about 10 % by weight.

28. (currently amended) A cosmetic or dermatological cleansing emulsion comprising:

- (a) from about 5 % to about 10 % by weight of at least one of sodium laureth sulfate and sodium myreth sulfate;
- (b) from about 0.30 % to about 0.70 % by weight of one or more polyacrylates selected from anionic homopolymers and anionic copolymers of at least one of acrylic acid, an alkylated acrylic acid and esters thereof;
- (c) from about 43 % to about 46 % by weight of an oil phase comprising
 - (i) from about 30 % to about 45 % by weight of a paraffin oil,
 - (ii) from about 5 % to about 20 % by weight of one or more oils having a polarity of from about 10 to about 45 mN/m;

the emulsion having a viscosity of from about 700 to about 3,000 mPa s at 100 s⁻¹.

29. (previously presented) The emulsion of claim 28, wherein the emulsion comprises sodium laureth sulfate.

30. (previously presented) The emulsion of claim 28, wherein the emulsion comprises sodium myreth sulfate.

31. (previously presented) The emulsion of claim 28, wherein the emulsion comprises at least about 0.35 % by weight of (b).

32. (previously presented) The emulsion of claim 31, wherein the emulsion comprises not more than about 45.5 % by weight of (c).

33. (previously presented) The emulsion of claim 31, wherein (c)(ii) comprises at least one of soybean oil and almond oil.

34. (previously presented) The emulsion of claim 32, wherein the weight ratio (b) : (c)(i) is from about 1:100 to about 1:57.

35. (previously presented) The emulsion of claim 28, wherein the emulsion further comprises from about 10 % to about 20 % by weight of at least one surfactant having an HLB value of higher than about 25.

36. (previously presented) The emulsion of claim 35, wherein the emulsion further comprises from about 0.05 % to about 10 % by weight of at least one active ingredient.

P25129.A06

37. (previously presented) A foamed mousse which comprises the emulsion of claim 1.

38. (cancelled)

39. (cancelled)

40. (previously presented) A foam bath which comprises the emulsion of claim 1.

41. (previously presented) A shower bath which comprises the emulsion of claim 1.

42. (previously presented) A tub bath which comprises the emulsion of claim 1.

43. (previously presented) A face cleanser which comprises the emulsion of claim 1.

44. (previously presented) A hair shampoo which comprises the emulsion of claim 1.

45. (previously presented) A method of cleansing the skin and its appendages, wherein the method comprises the application of a product which comprises the emulsion of claim 1 onto at

least parts of the skin.

46. (currently amended) A process for making a cosmetic or dermatological cleansing emulsion, which process comprises combining

(a) from about 2 % to about 17 % by weight of at least one of sodium laureth sulfate and sodium myreth sulfate;

(b) from about 0.20 % to about 0.74 % by weight of one or more polyacrylates selected from anionic homopolymers and anionic copolymers of at least one of acrylic acid, an alkylated acrylic acid and esters thereof;

(c) from about 42 % to about 51 % by weight of an oil phase comprising

(i) from about 25 % to about 50 % by weight of a paraffin oil,

(ii) from about 0.5 % to about 25 % by weight of one or more oils having a polarity of from about 5 to about 50 mN/m;

to form an emulsion having a viscosity of from about 500 to about 3,500 mPa s at 100 s⁻¹.

47. (new) The emulsion of claim 1, wherein the emulsion comprises from about 35 % to about 55 % by weight of water.

48. (new) The emulsion of claim 1, wherein the emulsion comprises from about 40 % to about 50 % by weight of water.